# ThinkVision T24m-10 61CFRAT2EU

#### Product

ThinkVision T24m-10

#### Machine Type

61CF

## Region

**EMEA** 

#### Display Size

23.8"

#### View Area

527.04x296.46 mm

#### Panel

In-Plane Switching

#### Aspect Ratio

16:9

# Resolution

1920x1080

#### Pixel Pitch

0.2745x0.2745 mm

#### Dot / Pixel Per Inch

92 dpi

# View Angle (H / V)

178 / 178

## Response Time

6 ms

## Color Support

16.7 Million

#### Refresh Rate

60 Hz

## **Brightness**

250 nits

#### Contrast Ratio

1000:1

#### **Color Gamut**

99% sRGB

#### Curvature

None

## Anti-glare

Yes

# Video Connector

1x HDMI 1.4, 1x DP 1.2, 1x USB-C 3.0 Gen 1

#### **USB Port**

5x USB 3.0

#### Camera

None

#### Microphone

None

#### Speakers

None

# Power Consumption (Typical / Maximum)

17W / 110W

#### Power Adapter

Integrated

#### Stand

Tilt, Swivel, Pivot, Height Adjust Stand

# Color

Black

# Side Bezel Width

2 mm

#### Dimensions with Stand (HxWxD)

483.4x540.2x261.75 mm / 19.03x21.27x10.31 inches

# Weight (Including Stand)

5.6 kg / 12.34 lbs.

#### Cables Included

USB Type-C to Type-C cable

## **Environmental Certification**

Energy Star Certified, TCO 7.0, TCO Edge 2.0, EPEAT Silver, ULE Gold. RoHS

## **Ergonomic Certification**

TÜV Rheinland Eye Comfort

## Base Warranty

3-year

# **Operating System Support**

Support Windows 7, Windows 10

# Sync Technology

None

## Tiny Support / CPU / Platform

Tiny Support / None / None

## Ethernet / Bluetooth / Wireless

None / None / None

#### Touch Screen / Digitizer Pen / Battery

None / None / None

# Display Ram / Storage / Card Slot

None / None / None

## EAN/UPC/JAN

0192940318885 / 192940318885 / None

#### Announce Date

2017-08-23

# WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty

Lenovo provides this publication "as is" without warrant of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



# https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.
© Lenovo, 2023. All rights reserved.



# Think Visinn T24m-10 MONITOR

# **SPECIFICATIONS**

ח	ısı	ΡI	Δ	١V

Panel Size Panel Type Backlight Resolution Aspect Ratio Anti-Glare Screen Dimensions (W x H) (mm)

Maximum Brightness (Typical) Viewing Angle (H/V at CR 10:1) Contrast Ratio (Typical) Dynamic Contrast Ratio (Typical)

Pixel Pitch (mm) Dot/Pixel Per Inch (DPI/PPI) Color Gamut (CIE 1931)

Response Time (gray to gray)

POWER CONSUMPTION

# DIMENSIONS (W x D x H)

Size Packed 422 x 622 x 190 (mm) 16.61" x 24.48" x 7.48" (inches)

Size Unpacked with Stand **Lowest Position** 

540.2 x 261.75 x 373.4 (mm) 21.26" x 10.3" x 14.7" (inches)

**Highest Position** (mm)

540.2 x 261.75 x 483.4 21.26" x 10.3" x 19" (inches)

Size Unpacked without Stand (Monitor Head Only)

(mm) 540.2 x 46.45 x 325.98 (inches) 21.26" x 1.82" x 12.83"

Distance from Table to Panel Lowest Pixel at Bottom of Screen (mm / inches)

Highest Pixel at Top of Screen

(mm / inches) Stand Base Footprint Area

(mm / inches) Weight

Packed Unpacked

Monitor Head Only Full Container Load (40' STD / 20' STD)

70.37 / 2.77" 476.8 / 18.77"

250 x 250 / 9.84" x 9.84"

Starting at 16.39 lbs (7.45 kg) Starting at 11.33 lbs (5.15 kg) Starting at 7.26 lbs (3.3 kg)

1140 / 540 Units

Typical Maximum Sleep-Mode Switch Off-Mode **Power Supply** Power Voltage Voltage Dynamic Frequency 19 W 116 W <0.5 W <0.5 W Internal 90 VAC - 264 VAC 47 Hz - 63 Hz

23.8"

WLED

16:9

Yes

1920 x 1080

250 cd/m<sup>2</sup>

72% NTSC

178°/178°

1000:1

3M:1

92

In-Plane Switching

527.04 (H) x 296.46 (V)

0.2745 (H) x 0.2745 (V)

4 ms (Extreme mode) 6 ms (Normal mode)

CONNECTIVITY

Video Input Signals Video Cables Supplied Video Cable Length

USB Hub

HDMI 1.4 + DisplayPort 1.2a + USB Type-C USB Type-C to Type-C Cable

1.8 m

Yes

1 x USB 3.01 (Upstream, by USB Type-C)

4 x USB 3.01 (Downstream, incl. 1BC) Yes (3.5 mm)

Audio-Out

# SPECIAL FEATURES

Thin Client Support (Tiny)

(by Tiny Clamp Bracket Kit + VESA Mount)

# WHAT'S IN THE BOX

Monitor with Stand 1 x Power Cable

1 x USB Type-C™ to Type-C™ Cable

Quick Setup Guide

# **MECHANICAL**

-5° / 30° Tilt Angle (Front / Back) +/-45° Swivel Angle (Left / Right) Lift Range (mm) 110 +/-90° VESA Mount (mm x mm) Yes (100 x 100) Kensington Lock Slot Yes Cable Management Yes Bezel Color

Top (mm / inches)

Raven Black Bezel Width 2 / 0.08" Sides (mm / inches) 2 / 0.08"

# **CERTIFICATIONS**

**EPEAT** Silver **ENERGY STAR Rating** 8.0 ULE Gold

TCO 7.0 / TCO Edge 2.0

RoHS (EU 2002/95/EC)

Windows Certification Windows 7 / Windows 10

China Energy Efficiency Standard Tier 2 TüV Eye Comfort Certification Yes

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen 1; 10 Gbit/s for USB 3.1 Gen 2 & 20 Gbit/s for USB 3.2.





# WWW.LENOVO.COM











